



## **Kompaktlastare**

### **RRun 1.0 4WD & 1.5 4WD**

\*\*\*\*\*



Små smidiga kompaktlastare för många ändmål

<b>Tekniskdata</b>	<b>RRun 1.0 4WD</b>	<b>RRun 1.5 4WD</b>
Engine model	YANMAR	498(EURO III emissions)
Rated power ( <b>KW</b> ) / (HK)	25.2 /32	36.8kw /
Rated speed ( <b>rmp</b> )	2200	2400rpm
Total displacement (L)	2.19	
Bucket capacity (standard)	0.5m3	0.8m3
Rated load (Kg)	1000	1500kg
Wheel-base ( <b>mm</b> )	1170	2005mm
Axle-base ( <b>mm</b> )	1790	*****
Min turning radius ( <b>mm</b> )	4450	4500mm
Min the ground distance ( <b>mm</b> )	240	260mm
Dump clearanle ( <b>mm</b> )	2300	2600mm
Dumping reach at max height ( <b>mm</b> )	1080	1070mm
Time of raise ( <b>S</b> )	<b>4</b>	4
Hydraulic cycle time ( <b>S</b> )	<b>9</b>	8
Max. breakout force ( <b>KN</b> )	<b>32</b>	36KN
Drive means	4WD	4WD
Operating weight ( <b>kg</b> )	<b>2500</b>	3600kg
Overall dimensions ( <b>mm</b> )	<b>4530*1500*2500</b>	4800*1770*2720mm
Max steering angle (°)	<b>35</b>	
Water cooling system	12L	
Fuel	45L	
Hydraulic oil	60L	
Engine oil	7L	
Gear box (gear oil)	4 L	
Axle and hub retarder and hub redactor (gear oil)	16	
Braking system (brake fluid)	1L	



Maila eller ring för mer information